# **Panasonic**

**INDUSTRY** 

# **Conductive Polymer Aluminum Solid Capacitors**

Radial Lead Type

**SEPF** series




#### **Features**


- High voltage (35 V max.)
- Large capacitance (1000 µF max.)
- RoHS compliance, Halogen free

Specifications							
Size code	C55	C6	E7	E12	F13		
Category temp. range			–55 ℃ to +105 ℃				
Rated voltage range	16 V to 32 V		16 V t	o 35 V			
Nominal cap.range	22 μF to 150 μF	22 μF to 180 μF	39 μF to 270 μF	82 μF to 560 μF	120 μF to 1000 μF		
Capacitance tolerance	±20 % (120 Hz / +20 ℃)						
DC leakage current	Please see the attached characteristics list						
Dissipation factor (tan $\delta$ )	Please see the attached characteristics list						
	+105 ℃ 5000 h, rate	ed voltage applied					
Endurance	Capacitance cha	nge Within ±20	Within ±20 % of the initial value				
Endurance	Dissipation factor	issipation factor (tanδ) ≤ 150 % of the initial limit					
	DC leakage curr	ent Within the i	nitial limit				
	+60 ℃, 90 % to 95 % RH, 1000 h, No-applied voltage						
Damp heat	Capacitance change Within ±20 % of the initial value						
(Steady state)	Dissipation factor	(tanδ) ≤ 150 % of	the initial limit				
	DC leakage curr	ent Within the i	Within the initial limit (after voltage processing)				

# Marking



#### **Dimensions (not to scale)**



Unit : mm

Size code	øD±0.5	L max.	F±0.5	ød±0.05
C55	6.3	5.5	2.5	0.45
C6	6.3	6.0	2.5	0.5
E7	8.0	7.0	3.5	0.5 <sup>*1</sup>
E12	8.0	12.0	3.5	0.6
F13	10.0	13.0	5.0	0.6

\*1: 32SEPF68M: 0.6±0.05

840

35SEPF120M

#### **Characteristics list** Case size Specifications (mm) Part number Rated Rated Size capacitance Ripple voltage ESR\*2 LC\*4 Click here for part number list of lead terminal cutting (±20 %) code øD L tan $\delta^{*3}$ (V) current \*1 (mΩ max.) (µF) (µA) and lead terminal taping (mA rms) 16SEPF150M 150 6.3 5.5 C55 2590 30 0.12 480 180 6.3 6.0 C6 3300 22 0.12 576 16SEPF180M 16 270 8.0 7.0 E7 3300 22 0.12 864 16SEPF270M 560 8.0 12.0 E12 4950 14 0.12 1792 16SEPF560M 1000 10.0 13.0 F13 5400 12 3200 16SEPF1000M 0.12 120 6.3 6.0 C6 3200 25 480 20SEPF120M 0.12 180 8.0 7.0 E7 3200 25 0.12 720 20SEPF180M 20 390 8.0 12.0 E12 4950 14 0.12 1560 20SEPF390M 560 10.0 13.0 F13 5400 12 0.12 2240 20SEPF560M 6.3 6.0 C6 2800 30 280 25SEPF56M 56 0.12 82 8.0 7.0 E7 3000 28 0.12 410 25SEPF82M 25 E12 4650 180 8.0 12.0 16 0.12 900 25SEPF180M 13.0 F13 5000 14 1650 25SEPF330M 330 10.0 0.12 2400 22 6.3 5.5 C55 35 0.12 140 32SEPF22M 32 68 8.0 7.0 E7 3200 25 0.10 435 32SEPF68M 22 6.0 C6 2600 154 35SEPF22M 6.3 35 0.12 7.0 2800 30 35SEPF39M 39 8.0 E7 0.12 273 35 82 8.0 12.0 E12 4000 20 0.12 574 35SEPF82M

120

10.0

F13

13.0

Frequency	Frequency correction factor for ripple current						
Frequency(f)	120 Hz ≦ f < 1 kHz	1 kHz ≦ f < 10 kHz	10 kHz ≦ f < 100 kHz	100 kHz ≦ f < 500 kHz			
Coefficient	0.05	0.3	0.7	1			

18

0.12

4400

<sup>\*1:</sup> Ripple current (100 kHz / +105  $^{\circ}$ C)

<sup>\*2:</sup> ESR (100 kHz to 300 kHz / +20 ℃)

<sup>\*3:</sup> tan δ (120 Hz / +20 °C)

<sup>\*4:</sup> After 2 minutes

<sup>♦</sup> Please refer to each page in this catarog for "Flow conditions" and "Taping specifications".

# Packing specifications

#### ♦ Radial lead type

#### Lead terminal process

#### 1-1. Correspondence list

X The following table is a standard specification. Please contact us separately concerming specifications except for that mentioned below.

Series	Size code	Bag-packed products	Taping products	
Selles	Size code	Not processed	Straight cut	raping products
CEDE	C55, C6, E7, E12	No code	+C3	+TSS
SEPF	F13	No code	+C3	+T

#### 1-2. Lead terminal cutting specifications

Process names	Size code	Lead terminal cutting code	Lead terminal dimensions
Straight cut	C55, C6 E7, E12 F13	+C3	Unit : mm

#### 1-3. Taping specifications for automatic insertion

Size code	Case size	F	Taping code	Taping dimensions
C55, C6	ø6.3	F=2.5 mm	+TSS	P <sub>2</sub> P Δh
E7, E12	ø8	F=3.5 mm	. 100	Carrier tape  Hold-down tape
F13	ø10	F=5.0 mm	+T	P1 P

Cod	le	F	Р	P <sub>0</sub>	P <sub>1</sub>	P <sub>2</sub>	Δh	W	$W_0$	$W_1$	$W_2$	Н	øD <sub>0</sub>
Tolera	nce	+0.8 -0.2	±1.0	±0.2	±0.5	±1.0	±1.0	±0.5	min.	±0.5	max.	±0.75	±0.2
+TSS	ø6.3	2.5	12.7	12.7	5.10	6.35	0	18.0	9.5	9.0	2.5	17.5	4.0
+100	ø8	3.5	12.7	12.7	4.60	6.35	0	18.0	9.5	9.0	2.5	17.5	4.0
+T	ø10	5.0	12.7	12.7	3.85	6.35	0	18.0	9.5	9.0	2.5	18.5	4.0

Cod	е	t	l	L
Tolera	nce	±0.3	max.	max.
+TSS	ø6.3	0.6	0	11.0
	ø8	0.6	0	11.0
+T	ø10	0.6	0	11.0

Unit: mm

#### Minimum packing quantity and weight

Size	Case	Bag-packe	d products	Taping products		
code	size	Quantity(pcs./Bag)	Typical weight(g)	Quantity(pcs./Bag)	Typical weight(g)	
C55	ø6.3	500	150	1500	650	
C6	ø6.3	500	160	1500	700	
E7	ø8	200	110	1000	820	
E12	ø8	200	200	1000	980	
F13	ø10	200	280	500	940	

# **SEPF** series

Radial lead (Lea	Radial lead (Lead terminal cutting / Lead terminal taping)							
Series	No processing	Lead terminal cutting	Lead terminal taping					
	16SEPF1000M	16SEPF1000M+C3	16SEPF1000M+T					
	16SEPF150M	16SEPF150M+C3	16SEPF150M+TSS					
	16SEPF180M	16SEPF180M+C3	16SEPF180M+TSS					
	16SEPF270M	16SEPF270M+C3	16SEPF270M+TSS					
	16SEPF560M	16SEPF560M+C3	16SEPF560M+TSS					
	20SEPF120M	20SEPF120M+C3	20SEPF120M+TSS					
	20SEPF180M	20SEPF180M+C3	20SEPF180M+TSS					
	20SEPF390M	20SEPF390M+C3	20SEPF390M+TSS					
	20SEPF560M	20SEPF560M+C3	20SEPF560M+T					
SEPF	25SEPF180M	25SEPF180M+C3	25SEPF180M+TSS					
	25SEPF330M	25SEPF330M+C3	25SEPF330M+T					
	25SEPF56M	25SEPF56M+C3	25SEPF56M+TSS					
	25SEPF82M	25SEPF82M+C3	25SEPF82M+TSS					
	32SEPF22M	32SEPF22M+C3	32SEPF22M+TSS					
	32SEPF68M	32SEPF68M+C3	32SEPF68M+TSS					
	35SEPF120M	35SEPF120M+C3	35SEPF120M+T					
	35SEPF22M	35SEPF22M+C3	35SEPF22M+TSS					
	35SEPF39M	35SEPF39M+C3	35SEPF39M+TSS					
	35SEPF82M	35SEPF82M+C3	35SEPF82M+TSS					



# Guidelines and precautions regarding the technical information and use of our products described in this online catalog.

- If you want to use our products described in this online catalog for applications requiring special qualities or reliability, or for applications where the failure or malfunction of the products may directly jeopardize human life or potentially cause personal injury (e.g. aircraft and aerospace equipment, traffic and transportation equipment, combustion equipment, medical equipment, accident prevention, anti-crime equipment, and/or safety equipment), it is necessary to verify whether the specifications of our products fit to such applications. Please ensure that you will ask and check with our inquiry desk as to whether the specifications of our products fit to such applications use before you use our products.
- The quality and performance of our products as described in this online catalog only apply to our products when used in isolation. Therefore, please ensure you evaluate and verify our products under the specific circumstances in which our products are assembled in your own products and in which our products will actually be used.
- Please ensure the safety by means of protection circuit, redundant circuit etc. in your system design in order to prevent the occurrence of life crisis and other serious damages due to the failure of our products.
- The products and product specifications described in this online catalog are subject to change for improvement without prior notice. Therefore, please be sure to request and confirm the latest product specifications which explain the specifications of our products in detail, before you finalize the design of your applications, purchase, or use our products.
- The technical information in this online catalog provides examples of our products' typical operations and application circuits. We do not guarantee the non-infringement of third party's intellectual property rights and we do not grant any license, right, or interest in our intellectual property.
- If any of our products, product specifications and/or technical information in this catalog is to be exported, the laws and regulations of the exporting country, especially with regard to security and export control, shall be observed.

# <Regarding the Certificate of Compliance with the EU RoHS Directive/REACH Regulations>

- The switchover date for compliance with the RoHS Directive/REACH Regulations varies depending on the part number or series of our products.
- When you use the inventory of our products for which it is unclear whether those products are compliant with the RoHS Directive/REACH Regulation, please select "Sales Inquiry" in the website inquiry form and contact us.

Please note that we do not owe any liability and responsibility if our products are used beyond the description of this catalog or without complying with precautions in this catalog.



#### **Notices**

#### ■ Applicable laws and regulations

- This product complies with the RoHS Directive (Restriction of the use of certain hazardous substances in electrical and electronic equipment (DIRECTIVE 2011/65/EU and (EU)2015/863)).
- No Ozone Depleting Chemicals(ODC's), controlled under the Montreal Protocol Agreement, are used in producing this product. We do not use PBBs or PBDEs as brominated flame retardants.
- Follow export procedures in accordance with the Foreign Exchange and Foreign Trade Law and other export-related laws and regulations when exporting this product.
- These products are not dangerous goods on the transportation as identified by UN(United Nations) numbers or UN classification.

#### Limited applications

- This capacitor is designed to be used for electronics circuits such as audio/visual equipment, home appliances, computers and other office equipment, optical equipment, measuring equipment.
- An advanced specification must be signed individually for high-reliability use that might threaten human life or property due to a malfunction of the capacitor.

#### ■ Intellectual property rights and licenses

• The technical information in this specification provides examples of our products' typical operations and application circuits. We do not guarantee the non-infringement of third party's intellectual property rights and we do not grant any license, right, or interest in our intellectual property.

#### Items to be observed

#### ■ For specification

- $\boldsymbol{\cdot} \text{ This specification guarantees the quality and performance of the product as individual components}.$ 
  - The durability differs depending on the environment and the conditions of usage.
  - Before use, check and evaluate their compatibility with actual conditions when installed in the products.
  - When safety requirements cannot be satisfied in your technical examination, inform us immediately.
- · Do not use the products beyond the specifications described in this document.

#### ■ Upon application to products where safety is regarded as important

If a malfunction of this product may result in the loss of human life or other serious damage, in traffic transportation equipment (trains, automobiles, traffic signals, etc.), medical equipment, aerospace equipment, electric heating equipment, combustion and gas equipment, rotating equipment, disaster prevention and security equipment, etc., ensure safety by giving sufficient consideration to a fail-safe design, for example, by considering the following items.

- (1) The system is equipped with a protection circuit and protection device.
- (2) The system is equipped with a redundant circuit or other system to prevent an unsafe status in the event of a single fault.

#### ■ Conditions of use

- Before using the products, carefully check the effects on their quality and performance, and determined whether or not they can be used. These products are designed and manufactured for general-purpose and standard use in general electronic equipment. These products are not intended for use in the following special conditions.
  - (1) In liquid, such as Water, Oil, Chemicals, or Organic solvent.
  - (2) In direct sunlight, outdoors, or in dust.
  - (3) In vapor, such as dew condensation water of resistive element, or water leakage, salty air, or air with a high concentration corrosive gas, such as Cl<sub>2</sub>, H<sub>2</sub>S, NH<sub>3</sub>, SO<sub>2</sub>, or NOx.
  - (4) In an environment where strong static electricity or electromagnetic waves exist.
  - (5) Mounting or placing heat-generating components or inflammables, such as vinyl-coated wires, near these products.
  - (6) Sealing or coating of these products or a printed circuit board on which these products are mounted, with resin and other material.
  - (7) Using resolvent, water or water-soluble cleaner for flux cleaning agent after soldering. (In particular, when using water or a water-soluble cleaning agent, be careful not to leave water residues)
  - (8) Using in the atmosphere where strays acid or alkaline.
  - (9) Using in the atmosphere where there are excessive vibration and shock.
  - (10) Using in the atmosphere where there are low pressure or decompression.
- Please arrange circuit design for preventing impulse or transitional voltage.
   Ensure that the voltage is lower than the rated voltage in the following condition: shock voltage circuits, transient phenomena in which excessive high voltage is applied in a short period of time, or when pulse high voltage is applied.
- Our products there is a product are using an electrolyte solution. Therefore, misuse can result in rapid deterioration of characteristics and functions of each product. Electrolyte leakage damages printed circuit and affects performance, characteristics, and functions of customer system.





# **Application Guidelines (OS-CON)**

#### 1. Circuit design

#### 1.1 Prohibited circuits

- (1) Leakage current of the OS-CON may increase in the following conditions.
  - (a) Soldering
  - (b) When voltage is not applied: high temperature no-load test, high temperature and high humiditynoload test, rapidly changing temperature test, etc.
- (2) Avoid the use of the OS-CON in the following type of circuits because leakage current may increase.
  - (a) High-impedance circuits
  - (b) Coupling circuits
  - (c) Time constant circuits
  - (d) Other circuits that are significantly affected by leakage current.
    - \* If you plan to use 2 or more OS-CONs in a series connection, please contact us before use.

#### 1.2 Failure and life-span

The failure rate is 0.5 % /1000 h (Confidence level : 60 %) based on JIS C 5003.

The prospective failure is not zero. The mainly failure modes are as follows.

#### 1.2-1 Contingency failure

The most common failure mode is a short circuit. Mainly caused by the soldering or operating temperature environment, along with heat stresses, electrical stresses or mechanical stressesas follows.

- · Applying voltage over the rated voltage.
- · Applying reverse voltage
- · Excessive mechanical stress
- · Applying rush current by sudden charge or discharge out of the specification.
- (1) The following phenomenon is seen when short-current is applied to the OS-CON.
  - (a) When current is relatively low. (ø10 : approx 1 A or less, ø8 : approx 0.5 A or less, ø6.3 : approx 0.2 A or less)

    The OS-CON becomes heated, but no effects are visible even when the current is continuously carried.
  - (b) When the short circuit currents exceed the mentioned value above.
    - After internal temperature increase, sealing rubber may be turned over.
    - In some cases, odorous gas may be produced.
- (2) In case a short circuit occurs, ensure safety by fully considering the followings.
  - (a) If odorous gas is released, turn off the main power of the equipment.
    - In this case, keep your face and hands away from the area.
  - (b) It may take a few seconds to a few minutes for odor gas to be generated depending on the conditions. When using a protective circuit, design the product so that it operates during this period.
  - (c) If the gas comes into eyes, rinse immediately. If the gas is inhaled, gargle immediately.
  - (d) Do not lick the electrolyte. If the electrolyte touches skin, wash it off with soap immediately.
  - (e) OS-CON contains combustibles. The short-circuit part may spark and catch fire if the current value after a short-circuit is extremely large. Provide for safety designs such as redundant design and protection circuit.

#### 1.2-2 Wear-out failure (life time)

When lifetime span exceeded the specified guarantee time of endurance and damp heat, electrolyte might insulate and cause electric characteristic changed. This is called an open circuit.

The electric characteristics of capacitance and ESR may possibly change within the specified range in specifications even if it is used under the condition of the rated voltage, electric and mechanical performance.

Please note it when designing.

#### 1.3 Leakage current

Mechanical stress may cause OS-CON's leakage current increased.

In such a case, leakage current will gradually decrease by applying voltage (withinthe category voltage and the upper limit of category temperature).

#### 1.4 Rapid charge and discharge limitation

Allowance of a large rush current to flow due to rapid charge and discharge may result in short circuit or large leakage current. The protection circuit, to maintain high reliability, is recommended when rush current to flow to the OS-CON is in the following cases.

- (1) Products which 10 times of allowable ripple current is less than 10 A: It is when 10 A or over of rush current is applied.
- (2) Products which 10 times of allowable ripple current is 10 A or over: It is when rush current, which the figure is over 10 times of allowable ripple current, is applied.



#### 2. Mounting

#### 2.1 Soldering with a soldering iron

- (1) When lead terminals for radial lead type must be processed because the lead pitch and the PCB holes do not match, process them without any stresses to the OS-CON before soldering.
- (2) Solder without any excessive stresses to the OS-CON itself.
- (3) When the OS-CON has been soldered once and needs to be removed, remove it after the solder has been completely melted.
- (4) Do not let the tip of the soldering iron touch the OS-CON itself.

#### 2.2 Flow soldering

- (1) Do not apply flow soldering to OS-CON SMD type.
- (2) Do not solder the OS-CON itself by submerging it in melted solder.
- (3) Solder the opposite side that the OS-CON is mounted on.
- (4) Note that flux does not adhere to anywhere expect the lead terminal.
- (5) Note that other components do not fall over and touch the OS-CON when soldering.

#### 2.3 Reflow soldering

- (1) Do not apply reflow soldering to OS-CON Radial Lead type.
- (2) Please contact us for setting VPS conditions.

#### 2.4 Capacitor handling after soldering

Do not subject the OS-CON to excessive stress as follows.

- (1) Do not tilt, bend or twist the OS-CON.
- (2) Do not move the PCB with holding the OS-CON itself.
- (3) Do not hit the OS-CON with objects.
- (4) When stacking PCBs, make sure that the OS-CON does not touch other PCBs or components.

#### 2.5 Circuit board cleaning

Check the following items before washing PC board with these detergents: high quality alcohol-based cleaning fluid such as Pine-a ST-100S, clean thru 750H, 750L, 710M, 750K or Techno Care FRW 14 through 17 or detergents including substitute freon as AK-225AES or IPA.

- (1) Use immersion or ultrasonic waves to clean within 2 minutes.
- (2) The temperature of the cleaning fluid should be less than 60 °C.
- (3) Watch the contamination of the detergent such as conductivity, pH, specific gravity, water content, etc.
- (4) Do not store the OS-CON in a location subject to gases from the cleaning fluid or in an airtight container after cleaning.
- (5) Dry the PCB or OS-CON with hot air that should be less than the upper category temperature.
- (6) Please note that indication may disappear when rubbing print side after washing depending on a cleaner.
- (7) Please contact us for details about detergents, cleaning methods and detergents other than those listed above.

#### 2.6 Fixatives and coating materials

- (1) Select the appropriate covering and sealant materials for the OS-CON. In particular, don't use acetone in the fixative, coating agent and diluent.
- (2) Before applying the fixative or coating, completely remove any flux residue and foreign matter from the area where the board and the OS-CON will be jointed together.
- (3) Allow any detergent to dry before applying the fixative or coating.
- (4) Please contact us for the fixative and coating heat curing conditions.

#### 2.7 Capacitor insulation

Be sure to completely separate the case, negative lead terminal, positive lead terminal and PC board patterns with each other due to the following reasons.

- (1) Insulation is not guaranteed at a part of resin on the surface of a case.
- (2) It offers inconstant resistance between a case and a negative lead terminal and it isn't insulated.



#### 3. Storage

Open the bags just before mounting and use up all products once opened, For keeping a good solderability, store the OS-CON as follows.

		Before unsealing	After unsealing	
SMD type <sup>*1</sup>		Within 24 months after shipment	Within 30 days from opening (packaged with carrier tape)	
Radial	Bag packing product	Within 30 months after shipment	Within 7 days from opening	
lead type	Taping product	Within 24 months after shipment	within r days from opening	

<sup>\*1 :</sup> The JEDEC J-STD-020 standard is not applicable

#### \* Intellectual property right

We, Panasonic Group are providing the product and service that customers can use without anxiety, and are working positively on the protection of our products underintellectual property rights.

Representative patents relating to OS-CON are as follows:

US Patent No.7158367