





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	D	REVISED PER ECO-21-001024	26JUL21	JY	SH



RECOMMENDED P.C.BOARD LAYOUT(T=1.6)

(TOP VIEW)(TOLERANCE:±0.05)

NOTE:

1. MATERIAL:

3 HOUSING: PBT(SOLDER CAPABLE,UL 94-V0,COLOR:SEE TABLE.)

④HOUSING: PA9T(REFLOW CAPABLE,UL 94-V0,COLOR:SEE TABLE.)

CAP: LCP(REFLOW CAPABLE,UL 94-V0,COLOR:BLACK.)

BACK STOPPER: PBT(SOLDER CAPABLE,UL 94-V0,COLOR:BLACK.)

CONTACT: PHOSPHOR BRONZE. THICKNESS =0.25mm.

SHIELD: STAINLESS STEEL, THICKNESS=0.30mm.

2. FINISH:

CONTACT:GOLD FLASH OVER

0.762um[30u"]MIN. PALLADIUM-NICKEL PLATED ON CONTACT


2.54um[100u"]MIN. MATTE-TIN ON SOLDER TAILS,

1.27um[50u"] MIN. NICKEL. UNDERPLATED ALL OVER.
2.54um[100u"] MIN. TIN PLATED OVER

5 SHIELD: 2.54um [100u"] MIN. TIN PLATED OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED

△ SHIELD: 0.762-2.03um [30-80u"] SOLDERABLE NICKEL
OVER 0.762-2.03um [30-80u"] COPPER

SEE SHEET 4	BLACK	1734366-5		
SEE SHEET 5	BLACK	1734366-4		
	BLUE	1734366-3		
SEE SHEET 4	WHITE	1734366-2		
	BLACK	1734366-1		
PACKING	HSG'S COLOR	PART NUMBER	HOUSING MATERIAL	SHIELD FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN	19SEP2008	TE Connectivity		
		CHK S. CHIEN	19SEP2008			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W.KODAMA	—	NAME		
	0 PLC ± 0.38 1 PLC ± 0.25 2 PLC ± 0.13 3 PLC ± 0.05 4 PLC ± — ANGLES ± 2°	PRODUCT SPEC 108-57547	RECEPT ASSY,VERTICAL,4POSITION THRU-HOLE,TYPE A USB —			
		APPLICATION SPEC 501-57635	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL SEE NOTES	FINISH SEE NOTES	WEIGHT 1.82 GRAMS	A3	00779	C-1734366	—
CUSTOMER DRAWING				SCALE	SHEET	REV
				1:1	1 OF 6	D


4

3



2

1


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—





1734366-6 AS SHOW
OTHER DIMENSIONS ARE THE SAME AS SHEET1





SEE SHEET 6	BLACK	1734366-6	△	△
PACKING	HSG'S COLOR	PART NUMBER	HOUSING MATERIAL	SHIELD FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN 19SEP2008	 TE Connectivity		
		CHK S. CHIEN 19SEP2008			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W.KODAMA PRODUCT SPEC	NAME RECEPT ASSY,VERTICAL,4POSITION THRU-HOLE,TYPE A USB —		
	0 PLC ± 0.38 1 PLC ± 0.25 2 PLC ± 0.13 3 PLC ± 0.05 4 PLC ± — ANGLES ± 2°	108-57547 APPLICATION SPEC			
MATERIAL SEE NOTES	FINISH SEE NOTES	501-57635 WEIGHT 1.82 GRAMS	SIZE A3	CAGE CODE 00779	DRAWING NO C-1734366
CUSTOMER DRAWING			SCALE 1:1	SHEET 2 OF 6	REV D


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—



1734366-7 AS SHOW
OTHER DIMENSIONS ARE THE SAME AS SHEET1






SEE SHEET 4	BLACK	1734366-7	△	△
PACKING	HSG'S COLOR	PART NUMBER	HOUSING MATERIAL	SHIELD FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN 19SEP2008	 TE Connectivity		
		CHK S. CHIEN 19SEP2008			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W.KODAMA	NAME RECEPT ASSY,VERTICAL,4POSITION THRU-HOLE,TYPE A USB		
	0 PLC ± 0.38 1 PLC ± 0.25 2 PLC ± 0.13 3 PLC ± 0.05 4 PLC ± — ANGLES ± 2°	PRODUCT SPEC 108-57547			
MATERIAL SEE NOTES	FINISH SEE NOTES	APPLICATION SPEC 501-57635	SIZE A3	CAGE CODE 00779	DRAWING NO C-1734366
		WEIGHT 1.82 GRAMS			RESTRICTED TO —
		CUSTOMER DRAWING	SCALE 1:1	SHEET 3 OF 6	REV D

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

USE THE TAPE TO FIX THE TRAY(4X)




CARTON

2:INNER BOX/CARTON
TOTAL:4800PCS
GROSS WEIGHT:12.2 KGS
NET WEIGHT:11.2 KGS



NOTE :

1. PACKAGING MATERIAL IN PLASTIC, RUBBER,INK,PIGMENT AND PAINT
MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
* CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED:5 PPM.
* LEAD,CADMIUM,CHROM VI AND MERCURY NOT TO EXCEED:100 PPM(COMBINED).

2. MATERIAL :
TRAY: PVC, UPPER COVER THICKNE=0.3MM.
LOWER COVER THICKNE=0.4MM




VIEW A:




4800	1734366-7
4800	1734366-5
4800	1734366-2
4800	1734366-1
QTY	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN 19SEP2008		TE Connectivity	
		CHK S. CHIEN 19SEP2008			
		APVD W.KODAMA			
		PRODUCT SPEC			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± 0.38		108-57547	
		1 PLC ± 0.25		APPLICATION SPEC	
		2 PLC ± 0.13		501-57635	
		3 PLC ± 0.05		WEIGHT 1.82 GRAMS	
		4 PLC ± -		SIZE A3	
		ANGLES ± 2°		CAGE CODE 00779	
		FINISH		DRAWING NO C-1734366	
MATERIAL SEE NOTES		SEE NOTES		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 1:1	
				SHEET 4 OF 6	
				REV D	


VIEW B




VIEW B:



INNER BOX(10 TRAY)
TOTAL:1200 PCS




OUT BOX-



CARTON

20 TRAYS/CARTON
TOTAL:2400PCS
GROSS WEIGHT:7.2KGS
NET WEIGHT:5.6KGS



1. PACKAGING MATERIAL IN PLASTIC, RUBBER,INK,PIGMENT
AND PAINT
MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
* CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED:5 PPM.
* LEAD,CADMIUM,CHROM VI AND MERCURY NOT TO
EXCEED:100 PPM(COMBINED).

TRAY: PS, UPPER COVER THICKNE=0.5MM.
LOWER COVER THICKNE=0.7MM

2400	1734366-4
2400	1734366-3
QTY	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	19SEP200
S. CHEN	/

CHK S. CHIEN 19SEP200

APVD
W. KODAMA

W.KODAMA	
PRODUCT SPEC	


108-57547
APPLICATION SPEC

501-57635

WEIGHT	1.82	GRAMS
--------	------	-------

CUSTOMER DRAWING

DIMENSIONS:
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED;

0 PLC	± 0.38
1 PLC	± 0.25
2 PLC	± 0.13
3 PLC	± 0.05
4 PLC	$\pm -$
ANGLES	$\pm$

	DATE	DESCRIPTION	AMOUNT	
		MATERIAL		

SEE NOTES

SEE NOTES



TE Connectivity

NAME

RECEPT ASSY,VERTICAL,4POSITION
THRU-HOLE,TYPE A USB

	SIZE
--	------

CAGE CODE

E	DRAWING NO
---	------------

RESTRICTED TO

A3 00779

9 | C-1734366


[illegible]

SCALE	1 : 1
-------	-------

SHEET 5 OF 6




REV	D
-----	---

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




NOTE :

1. PACKAGING MATERIAL IN PLASTIC, RUBBER,INK,PIGMENT
AND PAINT
MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
* CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED:5 PPM.
* LEAD,CADMIUM,CHROM VI AND MERCURY NOT TO
EXCEED:100 PPM(COMBINED).
2. MATERIAL :
REEL:BLACK CONDUCTIVE POLYSTYRENE ALLOY



OUT BOX PACKAGE DIAGEAM DRAWING

1440	1734366-6
QTY	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN 19SEP2008		 TE Connectivity	
DIMENSIONS: mm		CHK S. CHIEN 19SEP2008			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W.KODAMA		NAME	
		PRODUCT SPEC 108-57547		RECEIPT ASSY,VERTICAL,4POSITION THRU-HOLE,TYPE A USB	
0 PLC ± 0.38 1 PLC ± 0.25 2 PLC ± 0.3 3 PLC ± 0.05 4 PLC ± - ANGLES ± 2°		APPLICATION SPEC 501-57635		SIZE	RESTRICTED TO
MATERIAL		WEIGHT 1.82 GRAMS		CAGE CODE	—
FINISH		CUSTOMER DRAWING		DRAWING NO	—
SEE NOTES		SCALE 1:1		SHEET 6 OF 6	REV D

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1734366-3](#)