






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	R	REDRAWN/REVISED PER ECO-17-001745	30NOV2017	KS	JO




SECTION A - A



RECOMMENDED HOLE PATTERN



BASIC DIMENSION FOR
ODD NO OF SPACES
(SEE TABLE)



BASIC DIMENSION FOR
EVEN NO OF SPACES
(SEE TABLE)

1. CONTACT AREAS PLATED WITH $0.76 \mu\text{m}$ GOLD, OLDER TAILS PLATED WITH $3.81 \mu\text{m}$ TIN-LEAD, ALL OVER $1.27 \mu\text{m}$ NICKEL.

2. NOTE DELETED

3. CIRCUIT IDENTIFICATION FEATURE OMITTED ON 4, 5, 6 & 7 POSITION HEADER ASSEMBLIES

4. DIMENSION APPLIES AT BASE OF SHROUD

5. THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING

6. NOTE DELETED

7. CONTACT AREAS PLATED WITH $0.76 \mu\text{m}$ GOLD, SOLDER TAILS PLATED WITH $3.81 \mu\text{m}$ TIN, ALL OVER $1.27 \mu\text{m}$ NICKEL

8. FINISH: $0.03 \mu\text{m}$ MIN GOLD ON GOLD PLATED AREA $3.81 \mu\text{m}$ MATTE TIN ON TIN PLATED AREA. UNDER PLATING TO BE $1.27 \mu\text{m}$ NICKEL ON ENTIRE CONTACT.

9. NOTE DELETED.

10. NOTE DELETED.

11. NOTE DELETED

12. NOTE DELETED

13. FINISH: $0.03 \mu\text{m}$ MIN GOLD ON GOLD PLATED AREA $3.81 \mu\text{m}$ MATTE TIN ON TIN PLATED AREA. UNDER PLATING TO BE $1.27 \mu\text{m}$ NICKEL ON ENTIRE CONTACT.

14. MATERIAL: HOUSING-LCP, COLOR-BLACK
CONTACT-COPPER ALLOY

FOR TABLE SEE SHT-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RL KOLLER 25JUL2017	TE Connectivity	
		CHK J. OLSON 27JUL2017		
DIMENSIONS:		APVD J. OLSON 27JUL2017	NAME HEARER ASSEMBLY, VERTICAL SINGLE ROW W/LATCHES AMPMODU SYSTEM 50	
mm		PRODUCT SPEC		
		108-1093	SIZE CAGE CODE DRAWING NO	
		APPLICATION SPEC		
		114-25031	RESTRICTED TO	
		FINISH		
		-	A100779C=104071	
		SEE TABLE		
		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 2 REV R	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-104071-2](#)