


4		3		2		1	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION				REVISIONS	
© COPYRIGHT - By -		ALL RIGHTS RESERVED.					

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—
	—	SEE SHEET 1	—	—	—



1. PART NO. AND DATE CODE MARKED IN APPROX. AREA SHOWN WHEN HOUSING SIZE PERMITS.
2. CAVITY IDENTS, MARKED FIRST AND EVERY FIFTH CAVITY (ONE SIDE) AS SHOWN
3. TOLERANCE NON-CUMULATIVE.
4. USE EXTRACTION TOOL 91052-1 TO REMOVE RECEPTACLE CONTACTS.
5. AMP LOGO MOLDED IN TEXTURED AREA AS SHOWN.
6. FLASH ALLOWED TO BE .015 IN THIS AREA.
7. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 21-JUN-95 E. BRANDBERG CHK 21-JUN-95 S. SHUEY APVD 21-JUN-95 D. DUPLER		 TE Connectivity Ltd.	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME HOUSING, MOD IV, SINGLE ROW, .100 CL, CRIMP SNAP-IN	
		PRODUCT SPEC - APPLICATION SPEC - WEIGHT			
MATERIAL FLAME RETARDANT		FINISH -		SIZE A2	CAGE CODE 00779
				DRAWING NO C=87499	RESTRICTED TO -
CUSTOMER DRAWING				SCALE 4:1	SHEET 2 OF 2
				REV V	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-87499-4](#)