


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **2137201000**
Status: **Active**
Overview: Micro-Lock Plus Wire-to-Board Connector System
Description: Micro-Lock Plus Crimp Terminal, Male, 2.00mm Pitch, Tin (Sn) Plating, 22-26 AWG, Reel

Documents:

3D Model	Application Specification 5055700001-A03 (PDF)
3D Model (PDF)	Packaging Specification 2137209200-SPK-200 (PDF)
Drawing (PDF)	Datasheet (PDF)
Product Specification 5055700003-PS-000 (PDF)	RoHS Certificate of Compliance (PDF)



General

Product Family	Crimp Terminals
Series	<u>213720</u>
Application	Power, Wire-to-Wire
Crimp Quality Equipment	Yes
Overview	<u>Micro-Lock Plus Wire-to-Board Connector System</u>
Product Name	Micro-Lock Plus
Taxonomy	Crimp Terminals
UPC	193264756582

Physical

Gender	Male
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	62.910/mg
Packaging Type	Reel
Plating min - Mating	0.071µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	0.90-1.50mm
Wire Size AWG	22, 24, 26
Wire Size mm ²	N/A

Material Info

Reference - Drawing Numbers

Application Specification	5055700001-A03
Application Tooling Documents	2168013700ATP-E-000, 2168013700ATP-J-000, 2168013700ATS-000, 2168013700ATS-J-000
Packaging Specification	2137209200-SPK-200
Product Specification	5055700003-PS-000
Sales Drawing	2137200000-SD-000

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2022)4187-DC (10
June 2022)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

213720 Series

Use With

Micro-Lock Plus Plug Housings 213719

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
FA2 Mechanical Feed Crimp Applicator for Micro-Lock Plus 2.0 Crimp Terminals, 22-24 AWG, UL1061 Wire	<u>2130694500</u>
FA2 Pneumatic Feed Crimp Applicator for Micro-Lock Plus 2.0 Crimp Terminals,	<u>2130694510</u>

This document was generated on 09/22/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[213720-1000](#)