


Aug.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


Recommended PCB layout
(Recommended thickness t=1.6mm)








Mating figure (Free)














1 A(10:1)



1 B(10:1)





Note 1 Markings at the indicated positions are Contact No. marking. And shapes are as shown.
2. The dimensions in parenthesis are for reference.
3. Per tray : 100 pieces. The minimum order quantity is by the one tray amount " 100 pieces".
⚠1 4. UL (File No. E52653)
C-UL (File No. E52653)

NO.	MATERIAL	FINISH , REMARKS
1	Polyamide	UL94V-0(Black)
2	Copper alloy	Surface : Tin Plating 1μm min. Under Plating : Nickel Plating 0.5μm min.
3	PS	Tray, White

UNITS	SCALE		COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	⚠1	1	DIS-H-00005576	HT. SATO	SZ. ONO	20191213

HIROSE ELECTRIC CO., LTD.

APPROVED	KI. AKIYAMA	20160326
CHECKED	TS. FUKUSHIMA	20160326
DESIGNED	TS. MIYAKI	20160325
DRAWN	TS. MIYAKI	20160325


DRAWING NO.	EDC-362874-00-00
PART NO.	DF62-13P-2.2DSA
CODE NO.	CL544-0582-0-00

⚠1 1/2

HRS DRAWING FOR REFERENCE

Aug.1.2023 Copyright 2023 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Drawing for packing (Free)



HRS DRAWING FOR REFERENCE

DRAWING NO.	EDC-362874-00-00
PART NO.	DF62-13P-2.2DSA
CODE NO.	CL544-0582-0-00

1 2/2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Hirose Electric:
DF62-13P-2.2DSA