



HM

TE Internal #: C67226-000

HM, Standard Labels, Industrial Label, Die-Cut Label Style, High Tack Acrylic Adhesive, UL Listed Yes, Label Width 25.4 mm [1 in]

[View on TE.com >](#)

Identification & Labeling > Labels > Standard Labels > HM HIGH TACK METALIZED POLYESTER LABELS



Label Type: **Industrial Label**

Label Style: **Die-Cut**

Label Adhesive Type: **High Tack Acrylic Adhesive**

UL Listed: **Yes**

Label Width: **25.4 mm [1 in]**

[All HM HIGH TACK METALIZED POLYESTER LABELS \(36\)](#)

**Features**

**Product Type Features**

Label Type	Industrial Label
------------	------------------

**Body Features**

Label Color	Metalized Silver
-------------	------------------

**Usage Conditions**

Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]
-----------------------------	----------------------------

**Printer/Label Features**

Number of Labels Across	3
Recommended Printer Ribbon	See Printer Ribbon Matrix
Label Style	Die-Cut
Label Width	25.4 mm[1 in]
Label Height	6.4 mm[.25 in]
Label Material	Polyester
Label Thickness	97 Micron

**Industry Standards**

UL Listed	Yes
-----------	-----

**Packaging Features**



Packaging Quantity	10000
Packaging Method	Roll

**Other**

Label Adhesive Type	High Tack Acrylic Adhesive
---------------------	----------------------------

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**

 <p>TE Part # 1-2186500-1 T3212-PRINTER</p>	 <p>TE Part # 1-2186502-1 T3224-PRINTER</p>	 <p>TE Part # 1-2186501-1 T3212-SWARE-PRINTER</p>	 <p>TE Part # 1-2186503-1 T3224-SWARE-PRINTER</p>
--	--	--	--

**Also in the Series | HM**



Standard Labels(1)

## Customers Also Bought



TE Part #0462-209-16141  
DEUTSCH SOLID CONTACTS



TE Part #206070-8  
CABLE CLAMP KIT #17



TE Part #1-480698-0  
02P UMNL PLUG HSG NATL




TE Part #114017-ZZ  
SEALING PLUG, SIZE 12/16, WHT



TE Part #136852-000  
234A011-100-0



TE Part #100485-000  
55A0112-26-6



TE Part #YAFD54-20-39PNC012  
RECP ASSY

## Documents

### Product Drawings

[HM-254064-10-8A](#)

English

### Datasheets & Catalog Pages

[IDENTIFICATION SELECTION GUIDE](#)

English

[HM High Tack Metalized Polyester labels](#)

English

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[HM-254064-10-8A](#)