

Connectors > Audio & Video Connectors > DisplayPort

2129320-3

Mini Displayport Reverse Offset



TE Internal #: **2129320-3**
TE Internal Description: **Mini Displayport Reverse Offset**

PCB Mount Orientation : **Right Angle**
PCB Mount Location : **Top**
Termination Method to Printed Circuit Board : **Through Hole - Solder**
Screw Flange : **Without**
PCB Mount Retention Type : **Boardlock**

[Digital Datasheet](#)

ORDER SAMPLES

Compatible Parts & Tooling

Documents	Features	Product Compliance
Product Drawings	Mini Displayport Reverse Offset Mini Displayport Reverse Offset English	
CAD Files	PCB Design Download symbol & footprint (SnapEDA) Download symbol & footprint (Ultra Librarian) 3D PDF 3D_CVM_CVM_2129320-3_B_c-2129320-3-b-3d.pdf 3D Customer View Model ENG_CVM_CVM_2129320-3_B_c-2129320-3-b.2d_dxf.zip English ENG_CVM_CVM_2129320-3_B_c-2129320-3-b.3d_igs.zip English ENG_CVM_CVM_2129320-3_B_c-2129320-3-b.3d_stp.zip English	

Product Specifications	Product Specification ENG_SS_108-2351_H1.pdf English Product Specification
------------------------	---

Purchase items directly from TE.com

We are here to help!
Get in touch with our product experts.

CHAT WITH US

EMAIL US

CALL US

Product
Environmental
Compliance

MD_2129320-3_0119201867_dmtec

 [ENG_PC_MD_2129320-3_C\(478695\).xlsx](#)

English

MD_2129320-3_0119201867_dmtec

 [ENG_PC_MD_2129320-3_C\(550698\).xml](#)

English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type
Features

Connector System : **Cable-to-Board**

Connector & Contact Terminates To : **Printed Circuit Board**

Product Type : **Connector**

Connector Type : **Connector Assembly**

Connector Style : **Receptacle**

Configuration
Features

PCB Mount Orientation : **Right Angle**

Number of Positions : **20**

Body Features

Shell Material : **Stainless Steel**

Contact Features

Contact Base Material : **Copper Alloy**

Contact Mating Area Plating Material : **Gold**

Termination
Features

Termination Method to Printed Circuit Board :
Through Hole - Solder

Mechanical
Attachment

PCB Mount Location : **Top**

Screw Flange : **Without**

PCB Mount Retention Type : **Boardlock**

Connector Mounting Type : **Board Mount**

Housing Features

Centerline (Pitch) : **.6 mm [.02 in]**

Housing Material : **High Temperature Thermoplastic**

Housing Color : **Black**

Dimensions

Tail Length : **1.4 mm [.055 in]**

Operation/Application

Circuit Application : **Signal**

Pick and Place : **Without Pick and Place Cover**

Industry
Standards

Flammability Rating : **UL 94V-0**

Packaging Features	Packaging Method : Reel
Statement of Compliance	Statement of Compliance pdf