

1

2

3

4

5

CHARACTERISTICS:


MATERIAL:
COLOR: BLACK
STYLE: UL1007

ENVIRONMENTAL
OPERATING TEMPERATURE: -20°C UP TO 80°C
COMPLIANCE: LEAD FREE AND ROHS

WIRE DIMENSION:
AWG: 28

PACKAGING:
10 PCS/BAG

Wire end A



3 mm Pre-stripped


Wire end B

Wire Length 150mm

Wire end A	62400113722
Wire end B	Pre-stripped

RoHS Compliant			
G			
F			
E			
D			
C			
B	06-AUG-13	CHARACTERISTIC	QL
A	02-JUL-12	PDF	GG
REV	DATE	FILE	BY

PROJECTION:



GENERAL TOLERANCE

.X = +/- 0.2
.XX = +/- 0.15



APPROVAL: RJ

UNIT: MM

DESCRIPTION: 2.00 MM DUAL ROW PRE-CRIMPED CONTACT

SIZE

SCALE:

WERI PART NO: 624100128015

A4

SHEET: 1/2

DRAW: QL

A

B

C

D

1

2

3

4

5


A

B

C


D

Note:
 1.Dimension
 Carton Size:40*30*20(CM)
 2.Quantity: 5000 Pcs/Carton



RoHS Compliant

G			
F			
E			
D			
C			
B			
A			
REV	DATE	FILE	BY

PROJECTION:


GENERAL TOLERANCE
 .X = +/- 0.2
 .XX = +/- 0.15



APPROVAL: RJ

UNIT: MM
 SCALE:
 SHEET: 2/2
 DRAW: QL

DESCRIPTION: WR-WTB DUAL ROW 2.00MM PRE-CRIMPED CONTACT
 WERI PART NO: 620 100 126 015

SIZE
A4

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Wurth Elektronik:](#)

[624100128015](#)