



Pushing Performance

## Han 3A-HTE, 9-17mm, PC black +glued seal



|                    |   |
|--------------------|---|
| Part number        | 19 20 003 0418  |
| Specification      | Han 3A-HTE, 9-17mm, PC black +glued seal  |
| HARTING eCatalogue | <a href="https://b2b.harting.com/19200030418">https://b2b.harting.com/19200030418</a> |

### Identification

|                             |   |
|-----------------------------|---|
| Category                    | Hoods/Housings  |
| Series of hoods/housings    | Han A <sup>®</sup>  |
| Type of hood/housing        | Hood  |
| Description of hood/housing | for Han-Brid <sup>®</sup><br>With glued seal<br>With integrated cable gland |

### Version

|                      |   |
|----------------------|---|
| Size                 | 3 A   |
| Version              | Top entry   |
| Cable entry          | 1x Integrated                                       |
| Locking type         | Single locking lever                                |
| Field of application | Standard Hoods/housings for industrial applications |

### Technical characteristics

|  |  |
|--|--|
| Limiting temperature                   | -40 ... +125 °C                                    |
| Degree of protection acc. to IEC 60529 | IP44<br>IP65 / IP67 with seal screw 09 20 000 9918 |
| Type rating acc. to UL 50 / UL 50E     | 4<br>4X<br>12                                      |
| Cable diameter                         | 9 ... 17 mm  |

### Material properties

|                         |                    |
|-------------------------|--------------------|
| Material (hood/housing) | Polycarbonate (PC) |
|-------------------------|--------------------|



Pushing Performance

## Material properties

|   |                      |
|---|----------------------|
| Colour (hood/housing)                     | RAL 9005 (jet black) |
| Material (seal)                           | NBR                  |
| Material flammability class acc. to UL 94 | V-0                  |
| RoHS                                      | compliant            |
| ELV status                                | compliant            |
| China RoHS                                | e                    |
| REACH Annex XVII substances               | Not contained        |
| REACH ANNEX XIV substances                | Not contained        |
| REACH SVHC substances                     | Not contained        |
| California Proposition 65 substances      | Yes                  |
| California Proposition 65 substances      | Naphthalene          |

## Specifications and approvals

|           |        |
|-----------|--------|
| Approvals | DNV GL |
| CE        | Yes    |

## Commercial data

|                                |  |
|--------------------------------|--|
| Packaging size                 | 10                                       |
| Net weight                     | 17.24 g                                  |
| Country of origin              | Germany                                  |
| European customs tariff number | 85389099                                 |
| eCl@ss                         | 27440202 Shell for industrial connectors |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[HARTING:](#)

[19200030418](#)