




LOC		DIST		P		ZONE		LTR		REVISIONS		
AD	47									DESCRIPTION	DATE	APPD
										P REVISED PER EC 0010-0718-96	5-28-96	JG



- △ HOUSING: HIGH TEMPERATURE THERMOPLASTIC, COLOR NATURAL.
- RECEPTACLE CONTACTS: BERYLLIUM COPPER..
- GROUND BUSSES: BERYLLIUM COPPER..
- TAIL ORGANIZER: POLYESTER FILM TAPE.
- △ RECEPTACLE CONTACTS: 0.00076 [.000030] MIN GOLD IN CONTACT AREA, 0.00254-0.00762 [.000100-.000300] TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127-0.00254 [.000050-.000100] NICKEL ON ENTIRE CONTACT.
- GROUND BUSSES: 0.00076 [.000030] MIN GOLD IN CONTACT AREA, 0.00254-0.00762 [.000100-.000300] TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127-0.00254 [.000050-.000100] NICKEL ON ENTIRE BUS.
- △ DATE CODE MARKED IN AREA INDICATED.



536255-9	125.73 [4.950]	99	4.19 [.165]	3.94 [.155]	127.94 [5.037]	130.56 [5.140]	200	3-121340-1
OBsolete	113.03 [4.450]	89	4.19 [.165]	3.94 [.155]	115.24 [4.537]	117.86 [4.640]	180	3-121340-0
536255-7	100.33 [3.950]	79	4.19 [.165]	3.94 [.155]	102.54 [4.037]	105.16 [4.140]	160	2-121340-9
536255-6	87.63 [3.450]	69	4.19 [.165]	3.94 [.155]	89.84 [3.537]	92.46 [3.640]	140	2-121340-8
536255-5	74.93 [2.950]	59	4.19 [.165]	3.94 [.155]	77.14 [3.037]	79.76 [3.140]	120	2-121340-7
536255-4	62.23 [2.450]	49	4.19 [.165]	3.94 [.155]	64.44 [2.537]	67.06 [2.640]	100	2-121340-6
536255-3	49.53 [1.950]	39	4.19 [.165]	3.94 [.155]	51.74 [2.037]	54.36 [2.140]	80	2-121340-5
536255-2	36.83 [1.450]	29	4.19 [.165]	3.94 [.155]	39.01 [1.537]	41.66 [1.640]	60	2-121340-4
536255-1	24.13 [.950]	19	4.19 [.165]	3.94 [.155]	26.34 [1.037]	28.96 [1.140]	40	2-121340-3
536254-9	125.73 [4.950]	99	3.38 [.133]	3.12 [.123]	127.94 [5.037]	130.56 [5.140]	200	2-121340-0
536254-8	113.03 [4.450]	89	3.38 [.133]	3.12 [.123]	115.24 [4.537]	117.86 [4.640]	180	1-121340-9
536254-7	100.33 [3.950]	79	3.38 [.133]	3.12 [.123]	102.54 [4.037]	105.16 [4.140]	160	1-121340-8
536254-6	87.63 [3.450]	69	3.38 [.133]	3.12 [.123]	89.84 [3.537]	92.46 [3.640]	140	1-121340-7
536254-5	74.93 [2.950]	59	3.38 [.133]	3.12 [.123]	77.14 [3.037]	79.76 [3.140]	120	1-121340-6
536254-4	62.23 [2.450]	49	3.38 [.133]	3.12 [.123]	64.44 [2.537]	67.06 [2.640]	100	1-121340-5
536254-3	49.53 [1.950]	39	3.38 [.133]	3.12 [.123]	51.74 [2.037]	54.36 [2.140]	80	1-121340-4
536254-2	36.83 [1.450]	29	3.38 [.133]	3.12 [.123]	39.01 [1.537]	41.66 [1.640]	60	1-121340-3
536254-1	24.13 [.950]	19	3.38 [.133]	3.12 [.123]	26.34 [1.037]	28.96 [1.140]	40	1-121340-2
536279-9	125.73 [4.950]	99	2.59 [.102]	2.34 [.092]	127.94 [5.037]	130.56 [5.140]	200	121340-9
536279-8	113.03 [4.450]	89	2.59 [.102]	2.34 [.092]	115.24 [4.537]	117.86 [4.640]	180	121340-8
536279-7	100.33 [3.950]	79	2.59 [.102]	2.34 [.092]	102.54 [4.037]	105.16 [4.140]	160	121340-7
536279-6	87.63 [3.450]	69	2.59 [.102]	2.34 [.092]	89.84 [3.537]	92.46 [3.640]	140	121340-6
536279-5	74.93 [2.950]	59	2.59 [.102]	2.34 [.092]	77.14 [3.037]	79.76 [3.140]	120	121340-5
536279-4	62.23 [2.450]	49	2.59 [.102]	2.34 [.092]	64.44 [2.537]	67.06 [2.640]	100	121340-4
536279-3	49.53 [1.950]	39	2.59 [.102]	2.34 [.092]	51.74 [2.037]	54.36 [2.140]	80	121340-3
536279-2	36.83 [1.450]	29	2.59 [.102]	2.34 [.092]	39.01 [1.537]	41.66 [1.640]	60	121340-2
536279-1	24.13 [.950]	19	2.59 [.102]	2.34 [.092]	26.34 [1.037]	28.96 [1.140]	40	121340-1
SUPERSEDED BY	F	E	D	C	B	A	NO OF POS	PART NUMBER



DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON: 2 PLC DEC ± - 3 PLC DEC ± 0.13 [.005] ANGLES ± -

DR 3-3-92 J.GERACE
 CHK 3-3-92 J.GERACE
 APPD 3-3-92 D.SINISI
 APPD 3-3-92 C.LINDGREN
 MATERIAL △
 FINISH △

AMP Incorporated
 Harrisburg, PA 17105-3608

NAME RECEPTACLE ASSEMBLY, VERTICAL, BOARD TO BOARD, MICROSTRIP

PRODUCT SPEC 108-1272
 APPLICATION SPEC 114-11005
 WEIGHT -

SIZE D
 CAGE CODE 00779
 DRAWING NO 121340
 SCALE 10:1
 SHEET 1 OF 1