









NOTES:


1. HOISING MATERIAL: GLASS FILLED LIQUID CRYSTAL POLYMER, UL 94V-0, COLOR: BLACK
TERMINAL MATERIAL: HIGH COPPER ALLOY
2. FINISH:
OPTION 1: REFLOW MATTE TIN OVER NICKEL
OPTION 2: SELECT 15MICROINCH GOLD AND SELECT MATTE TIN OVER NICKEL.
OPTION 3: SELECT 30MICROINCH GOLD AND SELECT MATTE TIN OVER NICKEL.
3. PRODUCT SPECIFICATION : 2064600000-PS
4. PRODUCT TEST SUMMARY: 2064600000-TS
5. TRAY PACK : 2125280000-PK
6. MATE WITH RECEPTACLE 206461
7. THIS PART CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.




PCB LAYOUT: COMPONENT SIDE
RECOMMEND PCB THICKNESS: 1.57mm




PCB LAYOUT:
4 CKT HEADER




PCB LAYOUT:
6 CKT HEADER



PCB LAYOUT:
2 CKT HEADER



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:				molex			
	DIMENSION UNITS	SCALE								
$\frac{F_A}{A} = 0$	mm	5:1	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 664817 DRWN: ALUO02 CHK'D: JKLECHA APPR: JKLECHA			
$\frac{F_C}{C} = 0$										
$\frac{F_P}{P} = 0$			ANGULAR TOL ± °				2021/02/02 2021/05/24 2021/05/24			
DIVISIONAL SYMBOLS	4 PLACES ±		INITIAL REVISION:				PRODUCT CUSTOMER DRAWING			
	3 PLACES ±		DRWN: MUM				DOCUMENT NUMBER		DOC TYPE	DOC PART
	2 PLACES ± 0.25		2019/03/08				2125280000		PSD	000
	1 PLACE ± 0.36		2019/09/27							A4
	0 PLACES ±									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER			
			A2-SIZE	212528	SEE TABLE	GENERAL MARKET	1 OF 3			



2 CKT
1 CKT

2 CKT

4 CKT

4 CKT

6 CKT


6 CKT

8 CKT


8 CKT

LAST CKT
FIRST CKT
SECOND CKT


10 CKT




12 CKT




14 CKT




16 CKT




18 CKT



20 CKT



22 CKT



24 CKT

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex							
	mm		5:1												
	GENERAL TOLERANCES (UNLESS SPECIFIED)														
	ANGULAR TOL ± °														
	4 PLACES		±		EC NO: 664817			MICRO-FIT + DUAL ROW R/A HEADER ASSY.							
	3 PLACES		±		DRWN: ALU002 2021/02/02										
	2 PLACES		± 0.25		CHK'D: JKLECHA 2021/05/24										
	1 PLACE		± 0.36		APPR: JKLECHA 2021/05/24										
	0 PLACES		±		INITIAL REVISION:			PRODUCT CUSTOMER DRAWING							
	DIVISIONAL SYMBOLS		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
											2125280000		PSD	000	A4
MATERIAL NUMBER											CUSTOMER		SHEET NUMBER		
SEE TABLE											GENERAL MARKET		3 OF 3		

molex

MICRO-FIT + DUAL ROW R/A HEADER ASSY.

PRODUCT CUSTOMER DRAWING

2125280000

PSD

000

A4