

CONUFL001-SMD-T ✓ ACTIVE

TE Internal #: CONUFL001-SMD-T
UMCC RF Interface, Jack, 50 Ω , Snap-On, 6 GHz Operating
Frequency, 1 Position, Printed Circuit Board, Board Mount, -40 – 90
 $^{\circ}\text{C}$ [-40 – 130 $^{\circ}\text{F}$], Solder

[View on TE.com >](#)



Connectors > RF Connectors > Coax Connectors



RF Interface: **UMCC**

RF Connector Style: **Jack**

Impedance: **50 Ω**

RF Connector Coupling Mechanism: **Snap-On**

Operating Frequency: **6 GHz**

Features

Product Type Features

Connector Product Type	Connector Assembly
RF Interface	UMCC
RF Connector Style	Jack
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω
-----------	-------------

Body Features

Cable Connector Orientation	Straight
Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Gold

Contact Features

RF Connector Center Contact Plating Material	Gold
--	------



RF Connector Center Contact Material	Brass
--------------------------------------	-------

Termination Features

Termination Method to Printed Circuit Board	Surface Mount
---	---------------

Termination Method to Wire & Cable	Solder
------------------------------------	--------

Mechanical Attachment

RF Connector Coupling Mechanism	Snap-On
---------------------------------	---------

Connector Mounting Type	Board Mount
-------------------------	-------------

RF Contact Captivation Method	Mechanical
-------------------------------	------------

Detent	Without
--------	---------

Usage Conditions

Operating Temperature Range	-40 – 90 °C[-40 – 130 °F]
-----------------------------	---------------------------

Operation/Application

Operating Frequency	6 GHz
---------------------	-------

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Quantity	2500
--------------------	------

Packaging Method	Tape & Reel
------------------	-------------

Other

Dielectric Material	Liquid Crystal Polymer
---------------------	------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Not Yet Reviewed
-----------------------------	------------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Not Yet Reviewed
--	---

Halogen Content	Not Yet Reviewed for halogen content
-----------------	--------------------------------------

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # L9000037-01
Antenna 2.4 FPC LH 45x7 100 UFL



TE Part # L9000039-01
Antenna 2.4 FPC LH 45x7 150 MMCX



TE Part # L9000041-01
Antenna 2.4 FPC LH 45x7 200 MHF4



TE Part # L9000043-01
Antenna 2.4 FPC LH 45x7 200 UFL



TE Part # L9000046-01
Antenna 2.4 FPC LV 7x45 200 UFL



TE Part # L9000048-01
Antenna 2.4 FPC LV 7x45 150 MMCX



TE Part # L9000050-01
Antenna 2.4 FPC LV 7x45 100 MHF4



TE Part # L9000052-01
Antenna 2.4 FPC LV 7x45 200 UFL



TE Part # L9000054-01
Antenna 2.4 FPC SH 12x8 100 UFL



TE Part # L9000056-01
Antenna 2.4 FPC SH 12x8 150 UFL



TE Part # L9000058-01
Antenna 2.4 FPC SH 12x8 50 UFL



TE Part # L9000060-01
Antenna 2.4 FPC SF 25x20 100 UFL



Documents

Datasheets & Catalog Pages

MICRO COAXIAL SURFACE MOUNT CONNECTOR

English